

ACAENITINAE

- Acaenitus* Latreille, 1809; Palearctic
Acoenites Latreille, 1810
Acoenitus Griffith, 1832
Arotes Gravenhorst, 1829; Holarctic, Neotropic
Asthenomeris Förster, 1869
Sphalerus Kriechbaumer, 1878
Retanisia Cameron, 1886
Asperpunctatus Wang, 1989; Oriental
Boloderma Morley, 1913; Oriental
Coleocentrus Gravenhorst, 1829; Holarctic, Oriental
Macrocoleus Desvignes, 1850
Cumatocinetus Sheng, 2002; Oriental
Dentifemura Sheng & Sun, 2010a; Oriental
Dimorphyx Seyrig, 1932; Ethiopian
Eremocinetus Viktorov, 1964; Palearctic
Hallocinetus Viktorov, 1962; Palearctic
Hieroceryx Tosquinet, 1896; Ethiopian
Ishigakia Uchida, 1928; Oriental
Jezarotes Uchida, 1928; Oriental
Leptacoenites Strobl, 1902; Palearctic
Mesoclistus Förster, 1869; Holarctic
Metachorischizus Uchida, 1928; Palearctic, Oriental
Notaulites Seyrig, 1932; Ethiopian
Paracollyria Cameron, 1906; Ethiopian
Seydalia Fahringer, 1936
Phaenolobus Förster, 1869; Palearctic
Chorischizus Förster, 1869
Moldacoenitus Constantineanu & Constantineanu, 1968
Phalgea Cameron, 1905 (J. Straits Branch Roy. Asiatic Soc. 44: 130); Oriental
Phalega Cameron, 1905 (Entomologist 38: 170)
Phorotrophus Saussure, 1892; Ethiopian
Dischizella Seyrig, 1934
Procinetus Förster, 1869; Palearctic
Heterolabis Kriechbaumer, 1889
Prosacron Townes, 1971; Oriental
Siphimedia Cameron, 1902; Oriental
Lethulia Cameron, 1903
Spilopteron Townes, 1960; Holarctic, Oriental
Yamatarotes Uchida, 1929; Oriental, Palearctic
Pseudarotes Meyer, 1930; preocc. by Uchida, 1929
Pararotes Meyer, 1934
Yezoceryx Uchida, 1928; Australian, Holarctic, Oriental

AGRIOTYPINAE

- Agriotypus* Curtis, 1832; Oriental, Palearctic
Crotopus Holmgren, 1858
Atopotypus Chao, 1992 (Bennett, 2001)

ADELOGNATHINAE

Adelognathus Holmgren, 1855; Holarctic, Oriental

Pammicra Förster, 1869

Synaema Förster, 1869

Notomeris Förster, 1869

Cnemischys Förster, 1869

Pammicrus Thomson, 1883

Cnemischus Thomson, 1888

Epitropus van Rossem, 1990 (Broad, 2004)

ANOMALONINAE**1. Anomalonini**

Anomalon Panzer, 1804; worldwide

Trachynotus Gravenhorst, 1829; preocc. by Latreille, 1829

Ochlerus Gistel, 1848; preocc. by Spinola, 1837

Nototrachys Marshall, 1872

Ophiononeura Cameron, 1904

Stictophion Cameron, 1906

Erythrophion Cameron, 1906

Anomalum Schulz, 1906

Trachyopterus Morley, 1912

Neogreeneia Viereck, 1912 (Gauld & Bradshaw, 1997)

Pseudonototrachys Meyer, 1930

Microcremastus Hedwig, 1961

2. Gravenhorstiini

Agrypon Förster, 1860; worldwide

Agrypum Schulz, 1906

Trichonotus Cameron, 1906; preocc. by Schneider, 1801, by Rafinesque, 1815, and Loew, 1857 (Gauld, 1976a)

Trichionotus Cameron, 1905 (Gauld, 1976a)

Odontagrypon Cameron, 1906

Paragrypon Uchida, 1941 (Gauld, 1976a)

Dioborus Rao, 1953 (Gauld, 1976a)

Aphanistes Förster, 1869; worldwide except Ethiopian

Anochilacrum Enderlein, 1921

Atrometoides Fahringer, 1922; Palearctic

Romanella Meyer, 1935

Atrometus Förster, 1869; Palearctic

Aubertiana Viktorov, 1970; Palearctic

Aubertia Viktorov, 1968; preocc. by Oberthuer, 1896

Barylypa Förster, 1869; Australian, Holarctic

Laphyctes Förster, 1869; preocc. by Dujardin, 1844, by Reichenbach, 1850 and Stål, 1853

Sarntheinia Dalla Torre, 1901

Hadromanus Szépligeti, 1905 (Gauld, 1976a)

Magnibucca Morley, 1913

Trochiscoмерus Meyer, 1931 (Gauld, 1976a)

Bimentum Townes, 1971; Ethiopian

Brachynervus Uchida, 1955; Oriental, Palearctic

Calcaneum Townes, 1971; Nearctic

Castrosion Gauld & Bradshaw, 1997; Neotropic
Cechenodes Townes, 1971; Ethiopian
Clatha Cameron, 1905; Oriental
Clypeocampulum Gauld, 1976; Palearctic
Corsoncus Townes, 1971; Nearctic, Neotropic
Encardia Tosquinet, 1896; Ethiopian
 Herus Tosquinet, 1903; preocc. by Rehn, 1900
 Ctenotoma Cameron, 1906
 Ctenocaloides Fahringer, 1936
Gravenhorstia Boie, 1856
 subgenus *Erigorgus* Förster, 1869; Holarctic, Neotropic, Oriental (Gauld, 1976a; Dasch, 1984)
 Sympratis Förster, 1869
 Paranomalon Viereck, 1912
 subgenus *Gravenhorstia* Boie, 1856; Palearctic
 Odontopsis Förster, 1869
 subgenus *Kokujewiella* Shestakov, 1926; Palearctic (Gauld, 1976a)
 Nenethes Ceballos, 1957 (Gauld, 1976a; Atanasov, 1982)
 subgenus *Ribasias* Ceballos, 1921; Palearctic (Gauld, 1976a; Atanasov, 1982)
Habronyx Förster, 1869
 subgenus *Austranomalon* Gauld, 1976a; Australian
 subgenus *Camposcopus* Förster, 1869; Holarctic, Oriental, Australian (Gauld, 1976a)
 Labrorhynchus Förster, 1869
 Blaptocampus Thomson, 1892
 subgenus *Habrocampulum* Gauld, 1976; Palearctic (Schnee, 1989)
 subgenus *Habronyx* Förster, 1869; Australian, Neotropic, Oriental, Palearctic
 Acanthostoma Kriechbaumer, 1894
 Macrostemma Shestakov, 1923
 Formosanomalon Uchida, 1928
Heteropelma Wesmael, 1849; worldwide except Ethiopian
 Schizoloma Wesmael, 1849
 Schizopoma Förster, 1869
 Tanypelma Townes, 1971 (Gauld, 1976a)
Indagrypon Nikam, 1982; Oriental
Liopterna Townes, 1971; Nearctic
Metoa Townes, 1971; Nearctic
Neohabronyx Dasch, 1984; Nearctic
Ophionellus Westwood, 1874; Nearctic, Neotropic
 Pharsalia Cresson, 1872; preocc. by Thomson, 1864
 Parophionellus Brues & Richardson, 1913
 Hymenopharsalia Morley, 1913
Ophiopterus Brullé, 1846; Nearctic, Neotropic
 Ophiopterus Schulz, 1906
 Ophiopterus Morley, 1912
Parania Morley, 1913; worldwide except Australian
Perisphincter Townes, 1961b; Australian, Neotropic, Oriental
Phaenolabrorhynchus Viereck, 1913; Neotropic
Podogaster Brullé, 1846; Neotropic
 Philodrymus Townes, 1971 (Gauld, 1997)
Porizonopteron Meyer, 1931; Palearctic
Pseudagrypon Lee & Kim, 1984; Palearctic
Pseudanomalon Szépligeti, 1905; Ethiopian, Oriental

Sphaeromanus Aubert, 1979; Palearctic
Spolas Townes, 1961b; Hawaii, New Zealand
Stangepelma Porter, 1976; Neotropic
Therion Curtis, 1829-30; Holarctic, Neotropic, Oriental
 Therium Agassiz, 1846
 Exochilum Wesmael, 1849
Trichomma Wesmael, 1849; worldwide
 Trichomella Szépligeti, 1910
Vernamalon Gauld, 1976a; Ethiopian

BANCHINAE

1. Atrophini

Alloplasta Förster, 1869; Holarctic, Oriental
 Asymmictus Förster, 1869
 Tryscampe Förster, 1869
 Trichopimpla Cameron, 1903
Amphirhachis Townes, 1970b; Australian, Oriental, Palearctic
Arenetra Holmgren, 1859; Holarctic
 Lasiops Holmgren, 1855; preocc. by Meigen, 1838
Atropatopsis Sudheer & Narendran, 2007; Palearctic (Sudheer, Narendran & Saji, 2007)
Atropha Kriechbaumer, 1894; Ethiopian
 Pseudatropha Seyrig, 1932
Brachychroa Townes, 1978; Nearctic
Cecidopimpla Brèthes, 1920; Neotropic
Cordeleboea Ugalde & Gauld, 2002; Neotropic
Cryptopimpla Taschenberg, 1863; Ethiopian, Holarctic, Oriental
 Aphanodon Förster, 1869
 Xenacis Förster, 1869
 Xenocornia Schmiedeknecht, 1900
 Fintona Cameron, 1909
Deleboea Cameron, 1903; Nearctic, Neotropic
Diradops Townes, 1946; Nearctic, Neotropic
Hadeleboea Ugalde & Gauld, 2002; Neotropic
Hadrostethus Townes, 1970b; Neotropic, Nearctic
Hapsinotus Townes, 1970b; Neotropic
Helotorus Townes, 1978; Nearctic
Himertosoma Schmiedeknecht, 1900; Ethiopian, Oriental
 Ctenonyx Seyrig, 1934
Leptobatopsis Ashmead, 1900 (Oct.); Australian, Oriental, Palearctic
 Leptobatopsis Ashmead, 1900 (Nov.)
 Tanera Cameron, 1905
 Sauterellus Enderlein, 1912
 Megacremastus Meyer, 1932
Lissocaulus Townes, 1966; Neotropic

Lissonota Gravenhorst, 1829
 subgenus *Lissonota* Gravenhorst, 1829; worldwide except South America
 Lampronota Curtis, 1832
 Stilbonota Stephens, 1835
 Meniscus Schiødte, 1839
 Asynida Gistel, 1848
 Bothynophrys Förster, 1869
 Enisimus Förster, 1869
 Amersibia Förster, 1869
 Bathycetes Förster, 1869
 Opisorhyssa Kriechbaumer, 1890
 Ctenopimpla Cameron, 1899; preocc. by Kriechbaumer, 1898
 Trevoria Ashmead, 1900 (Townes & Townes, 1978)
 Pimplopterus Ashmead, 1900 29689
 Harrimaniella Ashmead, 1900 (Gauld, 1984)
 Echthrodoxa Schmiedeknecht, 1900
 Campocineta Schmiedeknecht, 1900
 Anarthronota Schmiedeknecht, 1900
 Adelopimpla Schulz, 1906
 Stilbopoides Rohwer, 1913
 Lophatium Clément, 1925
 Gibbonota Heinrich, 1937
 Lissonotoides Benoit, 1955
 Isomeris Townes, 1970b (Ugalde & Gauld, 2002)
 subgenus *Loxonota* Aubert, 1978; Palearctic
Lissonotideia Hellén, 1949; Ethiopian (Rey del Castillo, 1990)
Loxodocus Townes, 1970b; Nearctic, Neotropic
Meniscomorpha Schmiedeknecht, 1907; Nearctic, Neotropic
 Eudeloboera López Cristóbal, 1935 (Ugalde & Gauld, 2002)
 Austrolissonota Blanchard, 1941
Mnioes Townes, 1946; Nearctic, Neotropic
Occia Tosquinet, 1903; Neotropic
 Spilanomalon Morley, 1913
 Enderleinia Cushman, 1924; preocc. by Schmidt, 1907
 Caligulina Strand, (1926) 1928
 Aulosyta Strand, (1926) 1928
 Hymenenderleinia Cushman, 1929
Odinophora Förster, 1869; Palearctic
 Ctenopimpla Kriechbaumer, 1898
 Gnathophya Schmiedeknecht, 1900
Podeleboea Ugalde & Gauld, 2002; Neotropic
Pristiboera Broad, Sääksjärvi & Veijalainen, 2011; Neotropic (Broad, Sääksjärvi, Veijalainen & Notton, 2011)
Procestus Townes, 1970b; Neotropic
Ptychopsis Sanborne, 1981a; Neotropic
Quillonota Ugalde & Gauld, 2002; Neotropic
Shortia Gauld, 1984; Australian
Spilopimpla Cameron, 1904; Australian, Ethiopian
 Afronyx Benoit, 1953
Stictolissonota Cameron, 1907; Oriental

Syzeuctus Förster, 1869; worldwide

Diceratops Förster, 1869

Syzeucta Thomson, 1889

Meyva Cameron, 1899

Rhynchotrevoria Cameron, 1906

Ephialtina Szépligeti, 1908

Leptoglyphis Brèthes, 1927

Paratanera Rao, 1953

Terrylee Broad, Sääksjärvi & Veijalainen, 2011; Neotropic (Broad, Sääksjärvi, Veijalainen & Notton, 2011)

Tossinola Viktorov, 1958; Old World

Tossinolodes Aubert, 1984; Palearctic

Wahlamia Ugalde & Gauld, 2002; Neotropic

2. Banchini

Agathilla Westwood, 1882; Nearctic, Neotropic

Banchopsis Rudow, 1886 (June); Neotropic, Palearctic

Banchopsis Kriechbaumer, 1886 (August); preocc. by Rudow, 1886

Euceribanchus Costa, 1888

Banchoides Dalla Torre, 1888

Ephonites Cameron, 1905

Banchus Fabricius, 1798; Holarctic, Oriental

Corynephanus Wesmael, 1849

Cidaphurus Förster, 1869

Nawaia Ashmead, 1906

Catadacus Townes, 1970b; Neotropic

Ceratogastra Ashmead, 1900; Holarctic

Ceratosoma Cresson, 1865; preocc. by Adams & Reeve, 1850

Exetastes Gravenhorst, 1829; worldwide except Australian

Leptobatus Gravenhorst, 1829

Semnophrys Förster, 1869

Rhimphalea Förster, 1869

Icyona Cameron, 1903

Allexetastes Kokujev, 1904

Rhynchexetastes Cameron, 1906

Tegona Morley, 1913

Pseudexetastes Meyer, 1927

Geraldus Fitton, 1987; Neotropic

Neoexetastes Graf, 1984; Neotropic

Philogalleria Cameron, 1912; Australian

Rynchobanchus Kriechbaumer, 1894; Palearctic

Rynchobanchus of authors. *Lapsus*

Acrogonia Kriechbaumer, 1896; preocc. by Stal, 1869

Acrogoniella Schulz, 1911

Tetractenion Seyrig, 1932; Ethiopian

3. Glyptini

Apophua Morley, 1913; worldwide except Neotropic

Australogypta Gauld, 1977b; Australian

Avnia Gupta, 2002; Oriental

Cephalogypta Obrtel, 1956; Palearctic

- Glypta* Gravenhorst, 1829; worldwide except Ethiopian
Conoblasta Förster, 1869
Diblastomorpha Förster, 1869
Hemiephialtes Ashmead, 1906
Foveoglypta Hellén, 1915
Glyptopimpla Morley, 1913; Ethiopian, Oriental, Palearctic (Gupta, 2002)
Zygoglypta Momoi, 1965 (Gupta, 2002)
Orientoglypta Kuslitzky, 1973 (Gupta, 2002)
Levibasis Townes, 1970; Neotropic
Sachtlebenia Townes, 1963; Oriental (Kasparyan, 1993; Gauld & Wahl, 2000)
Sjostedtiella Szépligeti, 1908; Ethiopian
Sphelodon Townes, 1966; Nearctic, Neotropic
Teleutaea Förster, 1869; Oriental, Palearctic
Hoplitophrys Förster, 1869
Teleutea Thomson, 1889
Townesion Kasparyan, 1993a; Palearctic (Gauld & Wahl, 2000)
Valdiviglypta Broad, Notton, Sääksjärvi & Veijalainen, 2011; Neotropic (Broad, Sääksjärvi, Veijalainen & Notton, 2011)
Zaglyptomorpha Viereck, 1913; Nearctic, Neotropic
Pectiniglypta Blanchard, 1939

BRACHYCYRTINAE

- Brachycyrtus* Kriechbaumer, 1880; worldwide
Proterocryptus Ashmead, 1906
Xanthocharops Morley, 1912
Vakau Cheesman, 1928
Brachycyrtomorpha Kreibohm de la Vega, 1940
Habryllia Walkley, 1956 (Wahl, 1993a)

CAMPOPLEGINAE

1. Bathyplectes Group

- Bathyplectes* Förster, 1869; Holarctic
Canidia Holmgren, 1860; preocc. by Thomson, 1857
Rhexineura Förster, 1869
Canidiella Ashmead, 1900
Biolysia Schmiedeknecht, 1907
Bathyplectes Aubert, 1979 (Wahl, 1991a)
Leptoperilissus Schmiedeknecht, 1912; Ethiopian, Palearctic (Horstmann, 1973)
Nepiesta Förster, 1869; Palearctic
Eripternus Förster, 1869
Pyracmon Holmgren, 1859; Holarctic
Rhimphoctona Förster, 1869
subgenus *Rhimphoctona* Förster, 1869; Palearctic
subgenus *Xylophylax* Kriechbaumer, 1878; Holarctic (Sanborne, 1986a&b; Wahl, 1991a)
Helcostizidea Rohwer, 1914
Parapyracmon Clément, 1924
Pyracomonoides Viereck, 1925
Euraspidion Sanborne, 1986b (Wahl, 1991a)

2. Dusona Group

- Aiura* Onody & Penteado-Dias, 2006; Neotropic
Aspidon V. Gupta, 1989; Nearctic
Benjaminia Viereck, 1912; Holarctic
 Zachrestoides Viereck, 1925
Breviterebra Kusigemati, 1982; Palearctic: Japan
Callidora Förster, 1869; Holarctic, Oriental: Philippines
 Pantropa Förster, 1869
 Neocallidora Ozols, 1966
Campoctonus Viereck, 1912; Nearctic, Neotropic
 Campoctonoides Viereck, 1925
Campoletis Förster, 1869; worldwide
 Ecphora Förster, 1869; preocc. by Conrad, 1843
 Anilastus Förster, 1869
 Anilasta Thomson, 1887
 Ecphoropsis Ashmead, 1900
Campoplex Gravenhorst, 1829; worldwide
 Dioratica Förster, 1869
 Omorgus Förster, 1869; preocc. by Erichson, 1847
 Omorga Thomson, 1887
 Zatranosema Viereck, 1912
 Campoleptidea Viereck, 1912
 Sesioplex Viereck, 1912 (Sanborne, 1981b)
 Pseuderipternoides Viereck, 1917
Casinarina Holmgren, 1859; worldwide
 Alcima Förster, 1869 (Horstmann, 1970)
 Amorphota Förster, 1869
 Campotrephus Förster, 1869
 Horogenes Förster, 1869
 Anempheres Förster, 1869
 Nothanomalon Szépliget, 1905
 Trophocampa Schmiedeknecht, 1907
 Fiebrigia Viereck, 1912
 Neonortonia Viereck, 1912
 Zastenomorpha Viereck, 1912
 Zastenostra Viereck, 1925
 Nothanomaloides Uchida, 1928; preocc. by Viereck, 1925
 Deltops Seyrig, 1935
 Longicharops Uchida, 1940
 Neonortoniella Blanchard, 1947
 Casinaroides Aubert, 1960
Charmops V. Gupta, 1989; Nearctic
Charops Holmgren, 1859; worldwide
 Zacharops Viereck, 1912
 Gongropelma Enderlein, 1921
Chromoplex Horstmann, 1987; Palearctic
Clypeoplex Horstmann, 1987; Palearctic
Cryptophion Viereck, 1913; Neotropic

- Cymodusa* Holmgren, 1859
 subgenus *Cymodusa* Holmgren, 1859; Holarctic, Neotropic, Oriental
Sagaritis Holmgren, 1859; preocc. by Billbirg, 1820 (Horstmann, 1987)
Thersitia Schmiedeknecht, 1907
Cymodusopsis Viereck, 1912 (Dbar, 1984a)
Sagaritopsis Hinks, 1944 (Horstmann, 1986a)
 subgenus *Diverdusa* Dbar, 1985; Palearctic
- Diadegma* Förster, 1869
 subgenus *Areolina* Enderlein, 1921; Holarctic, Neotropic (Horstmann, 1987)
Nothanomaloides Viereck, 1925
Auma Dbar, 1984b (Horstmann, 2004)
 subgenus *Diadegma* Förster, 1869; worldwide
 subgenus *Neoangitia* Horstmann, 1969; Holarctic
Angitia Holmgren, 1859; preocc. by Walker, 1858
 subgenus *Nythobia* Förster, 1869; worldwide (Horstmann, 1969)
Pectinella Morley, 1914; preocc. by Verrill, 1897
- Dichelobosmina* Uchida, 1932; Oriental (Gupta, 1987)
- Dolophron* Förster, 1869; Holarctic
- Dusona* Cameron, 1900; worldwide
Delopia Cameron, 1903 (Gauld, 1984; Wahl, 1991b)
Anisitsia Viereck, 1912; preocc. by Eigenmann, 1903
Campoplegidia Viereck, 1912
Pseudocasinaria Viereck, 1912
Thymarimorpha Viereck, 1913
Viereckiana Strand, 1914
Zachrestinus Enderlein, 1921
Idisomidea Viereck, 1925
Neodelopia Benoit, 1957
Kartika V. Gupta & M. Gupta, 1976 (Wahl, 1991b)
- Echthronomas* Förster, 1869; Holarctic, Oriental
- Enytus* Cameron, 1905; Holarctic, Ethiopian
Diocetes Förster, 1869; preocc. by Ménétrés, 1849, and by Reichenbach, 1850
Inareolata Ellinger & Sachtleben, 1928 (Horstmann, 1969)
- Eriborus* Förster, 1869; Australian, Ethiopian, Nearctic, Oriental, Palearctic,
Zaporus Förster, 1869
Bosmina Cameron, 1899; preocc. by Baird, 1845
Hymenobosmina Dalla Torre, 1901
Neobosmina Cameron, 1906
- Eucaphila* Gauld, 1984; Australian
- Genotropis* Townes, 1970b; Oriental
- Hyposoter* Förster, 1869; worldwide
Rhythmonotus Förster, 1869
Ischnoscopus Förster, 1869
Amelctonus Förster, 1869
Ebiicha Seyrig, 1936 (Townes & Townes, 1973)
Neozachresta Havrylenko & Winterhalter, 1949
Nearthula Rao, 1953 (Horstmann, 1987)
- Jomine* Graf & Kumagi, 1998; Neotropic
- Lathroplex* Förster, 1869; Palearctic; Horstmann, 1977
- Lathrostizus* Förster, 1869; Holarctic
Lathrostiza Thomson, 1887

Lemophagus Townes, 1965; Holarctic
 Holocremnodes Aubert, 1986 (Yu & Horstmann, 1997; Horstmann, 2004)
Leptocampoplex Horstmann, 1970; Holarctic
 Porizon Fallén *sensu* Townes, 1970b
Macrulus Horstmann, 1977; Palearctic
Macrus Gravenhorst, 1829; Holarctic (Horstmann, 1970)
Melalophacharops Uchida, 1928; Palearctic
Melanoplex Horstmann, 1987; Palearctic
Meloboris Holmgren, 1859; Ethiopian, Holarctic, Neotropic
 Asinamora Förster, 1869
 Nepiera Förster, 1869 (Carlson, 1979)
 Pseudocymodusa Habermehl, 1922 (Carlson, 1979)
 Anoixis Townes, 1970b (Carlson, 1979)
Microcharops Roman, 1910; Nearctic, Neotropic
 Charopsimorpha Viereck, 1912 41389
 Paracharops Kreibohm de la Vega, 1940
 Paracharops Blanchard, 1942; preocc. by Kreibohm de la Vega, 1940
Neolophron Gauld, 1984; Australian
Olesicampe Förster, 1869; Ethiopian, Holarctic, Oriental
 Limneria Holmgren, 1859; preocc. by Adams, 1851
 Omoborus Förster, 1869
 Holocremnus Förster, 1869
 Olesicampa Thomson, 1887
 Holocremna Thomson, 1887
 Limnerium Ashmead, 1900
 Zaplatystoma Viereck, 1925
Pegaoplex Dbar, 1984b; Palearctic
Philositus Townes, 1970b; Nearctic
Phobocampe Förster, 1869; Holarctic, Neotropic, Oriental
 Hypothereutes Förster, 1869
 Phobocampa Thomson, 1887
Picacharops Gauld, 1984; Australian
Porizon Fallén, 1813; Holarctic
 Phaedroctonus Förster, 1869 (Carlson, 1979; Horstmann, 1987, 2004)
Prochas Walkley, 1959; Neotropic
Rhachioplex Bischoff, 1932; Oriental
Scenocharops Uchida, 1932; Oriental, Palearctic
Scirtetes Hartig, 1838; Holarctic
 Spudastica Förster, 1869 (Horstmann, 1985)
Sinophorus Förster, 1869; Holarctic, Neotropic
 Eulimneria Schmiedeknecht, 1907
Sliochia Gauld, 1976b; Australian, Oriental
Synetaeris Förster, 1869; Holarctic (Horstmann, 1977; Wahl, 1991)
Tranosema Förster, 1869; Holarctic
Tranosemella Horstmann, 1978; Holarctic
Urvashia V. Gupta & M. Gupta, 1971a; Oriental

Venturia Schrottky, 1902; worldwide

Idechthis Förster, 1869; preocc. by Hübner, 1821

Devorgilla Cameron, 1907

Balcarcia Brèthes, 1922

Notamorphota Blanchard, 1947

Exidechthis Walkley, 1958

Slenda Gauld, 1984 (Wahl, 1987)

Vildania Koçak & Kemal, 2009a; Ethiopian (S. Africa)

Allothea Cameron, 1906; preocc. by Ehrenberg, 1843 (Koçak & Kemal, 2009a)

Xanthocampoplex Morley, 1913; worldwide

3. Gonotypus Group

Gonotypus Förster, 1869; Palearctic

Gonotypa Thomson, 1887

4. Menaka Group

Menaka V. Gupta & M. Gupta, 1971b; Oriental

5. Nemeritis Group

Nemeritis Holmgren, 1860; Australian, Holarctic, Neotropic

Pseudonemeritis Szépligeti, 1916

Please cite this work as: *Genera Ichneumonorum Nearcticae*. 2014 (and updates). Version: 2014.09.18.
<http://www.amentinst.org/GIN/>.