

**RHYSSINAE**

- Cytorhyssa* Baltazar, 1961; Oriental  
*Epirhyssa* Cresson, 1865; worldwide except Australian  
*Rhyssonota* Kriechbaumer, 1890  
*Hierax* Tosquinet, 1903; preocc. by Vigors, 1826, and by Morris, 1837  
(Gauld, 1984)  
*Synchnostigma* Baltazar, 1961 (Gauld, 1984)  
*Lytarmes* Cameron, 1899; Oriental  
*Megarhyssa* Ashmead, 1858; Ethiopian, Holarctic, Oriental  
*Thalessa* Holmgren, 1859; preocc. by Adams, 1853  
*Megalorhyssa* Schulz, 1906  
*Euryhyssa* Derksen, 1941  
*Myllenyxis* Baltazar, 1961; Oriental  
*Rhyssa* Gravenhorst, 1829; Holarctic, Oriental  
*Cryptocentrum* Kirby, 1837  
*Pararhyssa* Walsh, 1873  
*Rhysella* Rohwer, 1920; Holarctic  
*Triancyra* Baltazar, 1961; Oriental

**STILBOPINAE**

- Notostilbops* Townes, 1970; Neotropic  
*Panteles* Förster, 1869; Palearctic (Townes & Townes, 1978; Wahl, 1988)  
*Stilbops* Förster, 1869; Holarctic, Neotropic  
*Aphanoroptrum* Förster, 1869  
*Aphanoroptra* Thomson, 1877  
*Aphanorrhoptrum* Dalla Torre, 1901  
*Eritrachynus* Schmiedeknecht, 1913

**SISYROSTOLINAE**

- Brachyscleroma* Cushman, 1940; Oriental  
*Erythrodolius* Seyrig, 1932; Ethiopian, Neotropic (Gauld, 1997)  
*Icariomimus* Seyrig, 1932; Ethiopian  
*Laxiareola* Shen & Sun, 2011; Oriental  
*Lygurus* Kasparyan, 1983; Palearctic  
*Melanodolius* Saussure, 1892; Ethiopian  
*Macrogaster* Brullé, 1846; preocc. by Thunberg, 1805, Miescher, 1843, & Duponchel, 1845  
*Sisyrostolus* Kriechbaumer, 1894  
*Acronus* Tosquinet, 1896  
*Pseudopompilia* Fahringer, 1936

**TATOGASTRINAE**

- Tatogaster* Townes, 1971; Neotropic

**TERSILOCHINAE**

- Allophroides* Horstmann, 1971; Holarctic  
*Allophrys* Förster, 1869; worldwide except Palearctic  
*Aneuclis* Förster, 1869; Ethiopian, Holarctic, Oriental

*Areyonga* Gauld, 1984; Australian  
*Australochus* Khalaim, 2004; Australian  
*Barycnemis* Förster, 1869; Holarctic  
  *Leptopygus* Förster, 1869  
  *Cratophion* Thomson, 1889  
  *Cyrtophion* Thomson, 1889  
  *Zasternaulax* Viereck, 1912  
  *Porizonidea* Viereck, 1914  
*Ctenophion* Horstmann, 2010; Nearctic  
*Diaparsis* Förster, 1869  
  subgenus *Diaparsis* Förster, 1869; Ethiopian, Holarctic, Oriental  
    *Diaparsus* Thomson, 1889  
    *Luchatema* Walkley, 1956  
  subgenus *Ischnobatis* Förster, 1869; Palearctic (Horstmann, 1971)  
  subgenus *Lanugoparsis* Khalaim, 2002; Palearctic  
  subgenus *Nanodiaparsis* Horstmann, 1971; Palearctic (Horstmann, 1981)  
  subgenus *Pectinoparsis* Khalaim, 2005; Palearctic  
  subgenus *Pseudaneucis* Horstmann, 1971; Palearctic (Horstmann, 1981)  
*Epistathmus* Förster, 1869; Palearctic (Horstmann, 1971)  
*Gelanes* Horstmann, 1981; Palearctic  
*Heterocola* Förster, 1869  
  subgenus *Heterocola* Förster, 1869; Oriental, Palearctic  
  subgenus *Heterocoloides* Horstmann, 1971; Palearctic  
*Horstmannoluchus* Gauld, 1984; Australian  
*Meggoleus* Townes, 1971; Neotropic  
*Palpator* Khalaim, 2006; Palearctic  
*Petilochus* Gauld, 1984; Australian  
*Phradis* Förster, 1869; Australian, Holarctic  
  *Eutomus* Förster, 1869; preocc. by Hope, 1838, and by Lacordaire, 1866  
  *Isurgus* Förster, 1869  
*Probles* Förster, 1869  
  subgenus *Euporizon* Horstmann, 1971; Palearctic  
  subgenus *Microdiaparsis* Horstmann, 1971; Palearctic (Horstmann, 1981)  
  subgenus *Probles* Förster, 1869; Holarctic  
  subgenus *Rhynchoprobes* Horstmann, 1971; Palearctic  
  subgenus *Rugodiaparsis* Horstmann, 1971; Palearctic (Horstmann, 1981)  
*Sathropterus* Förster, 1869; Ethiopian, Palearctic  
*Spinolochus* Horstmann, 1971; Palearctic  
*Stethantyx* Townes, 1971; Nearctic, Neotropic  
*Tersilochus* Holmgren, 1858  
  subgenus *Gonolochus* Förster, 1869; Palearctic (Horstmann, 1981)  
  subgenus *Pectinolochus* Aubert, 1960; Palearctic (Horstmann, 1971, 1981)  
    *Polemolochus* Aubert, 1964  
  subgenus *Tersilochus* Holmgren, 1858; Holarctic, Oriental  
    *Thersilochus* Holmgren, 1860  
*Zealochus* Khalaim, 2004; New Zealand

## TRYPHONINAE

### 1. Ankylophonini

*Ankylophon* Gauld, 1984; Australian

## 2. Eclytini

*Eclytus* Holmgren, 1855 (Gupta, 1988)

subgenus *Anoplectes* Kriechbaumer, 1896; Palearctic (Kasparyan, 1977)

subgenus *Eclytus* Holmgren, 1855; Holarctic

*Zapedias* Förster, 1869

## 3. Exenterini

*Acrotomus* Holmgren, 1855; Palearctic

*Delotomus* Förster, 1869

*Cteniscus* Haliday, 1832

subgenus *Cteniscus* Haliday, 1832; Holarctic

*Eudiaborus* Kerrich, 1952

subgenus *Japanicola* Kasparyan, 1990; Palearctic

subgenus *Jonicola* Kasparyan, 1990; Palearctic

*Cycasis* Townes, 1965; Palearctic 33336

*Eremodolius* Kasparyan, 1985; Palearctic

*Eridolius* Förster, 1869; Holarctic

*Anisoctenion* Förster, 1869

*Excavarus* Davis, 1897; Holarctic

*Exenterus* Hartig, 1837; Holarctic

*Picroscopus* Förster, 1869

*Actenonyx* Förster, 1869; preocc. by White, 1846

*Exyston* Schiødte, 1839; Holarctic

*Tricamptus* Förster, 1869

*Diaborus* Förster, 1869

*Anecphysis* Förster, 1869

*Parexyston* Kerrich, 1952

*Kerrichia* Mason, 1962; Palearctic

*Kristotomus* Mason, 1962; Oriental, Palearctic

*Orthomiscus* Mason, 1955; Holarctic

*Scapnetes* Townes, 1969; Nearctic

*Schelocentrus* Kasparyan, 1976b; Palearctic

*Smicroplectrus* Thomson, 1883; Holarctic

*Microplectron* Förster, 1869; preocc. by Streubel, 1842 and Dahlbom, 1857

*Anderis* Davis, 1897

*Auderis* Davis, 1898

## 4. Idiogrammatini

*Idiogramma* Förster, 1869; Holarctic

*Macrochasmus* Thomson, 1888

*Lysiognatha* Ashmead, 1895

## 5. Oedemopsini

*Acaenitellus* Morley, 1913; Oriental (Gupta, 1987 & 1988)

*Atopotrophos* Cushman, 1940; Holarctic, Neotropic, Oriental

*Atopognathus* Cushman, 1919; preocc. by Bigot, 1881

*Cladeutes* Townes, 1969; Palearctic

*Debophanes* Gauld, 1984; Australian

*Hercus* Townes, 1969; Holarctic, Neotropic, Oriental

*Leptixys* Townes, 1969; Neotropic

*Neliopisthus* Thomson, 1883; worldwide except Australian & Oriental

*Polysphinctomorpha* Ashmead, 1900

*Oedemopsis* Tschek, 1868; worldwide except Ethiopian (Carlson, 1979)

*Hybophanes* Förster, 1869

*Campothreptus* Förster, 1869 (Carlson, 1979)

*Zarhynchus* Ashmead, 1900; preocc. by Oberholser, 1899

*Rhynchothyreus* Ashmead, 1900

*Oedematopsis* Morley, 1908

*Scudderopsis* Bennett, 2006; Australian

*Thymaris* Förster, 1869; worldwide except Ethiopian

*Thymarus* Thomson, 1883

*Zagryphus* Cushman, 1919; Nearctic, Neotropic (Carlson, 1979)

## 6. Phytodietini

*Brevitubulus* Wang, 1987; Oriental

*Netelia* Gray, 1860

subgenus *Apatagium* Enderlein, 1912; Oriental

*Anomaloctenus* Cushman, 1934

subgenus *Bessobates* Townes, Townes & Gupta, 1961; Holarctic

subgenus *Longiterebates* Kaur & Jonathan, 1976; Oriental

subgenus *Monomacrodon* Cushman, 1934; Oriental

subgenus *Netelia* Gray, 1860; worldwide

*Paniscus* auct., nec Schrank, 1802

*Bucheckerius* Schulz, 1906

*Scammatonotum* Enderlein, 1914

*Amebachia* Uchida, 1928

subgenus *Parabates* Förster, 1869; Holarctic

*Parabatus* Thomson, 1888

*Opheltoideus* Ashmead, 1900

subgenus *Paropheltes* Cameron, 1907; worldwide

subgenus *Prosthodocis* Enderlein, 1912; worldwide except Australian

subgenus *Protonetelia* Konishi, 1986; Australian

subgenus *Toxochilooides* Tolkanitz, 1974; Australian, Oriental, Palearctic

*Netelioides* Delrio, 1975 (Kaur & Jonathan, 1979)

subgenus *Toxochilus* Townes, 1939; Nearctic

*Phytodietus* Gravenhorst, 1829

subgenus *Euctenopus* Ashmead, 1900 (Oct.); New Zealand

*Euctenopus* Ashmead, 1900 (Nov.)

subgenus *Neuchorus* Uchida, 1931; worldwide except Ethiopian

*Doratistes* Seyrig, 1932

subgenus *Phytodietus* Gravenhorst, 1829; Australian, Holarctic, Oriental

*Phytodiaetus* Agassiz, 1846

subgenus *Weisia* Schmiedeknecht, 1907; Ethiopian, Oriental, Palearctic

## 7. Sphinctini

*Sphinctus* Gravenhorst, 1829; Neotropic, Oriental, Palearctic

*Eradha* Cameron, 1899

## 8. Tryphonini

*Aridella* Kasparyan, 1970; Palearctic

*Boethella* Bennett, 2003; Neotropic

- Boethus* Förster, 1869; Ethiopian, Holarctic, Neotropic  
*Diplomorphus* Giraud, 1872  
*Aethalodes* Kriechbaumer, 1898; preocc. by Gahan, 1888  
*Chiloplatys* Townes, 1945; Neotropic  
*Cosmoconus* Förster, 1869; Holarctic, Oriental  
*Ctenochira* Förster, 1869; Holarctic  
*Ctenacme* Förster, 1869  
*Scopiorus* Förster, 1869  
*Gemophaga* Foester, 1869  
*Ctenacmus* Thomson, 1883  
*Ctenacma* Schulz, 1906  
*Pauroctenus* Cameron, 1909  
*Exochoblastus* Schmiedeknecht, 1912  
*Scopimenus* Roman, 1937  
*Coeloprosopon* Bauer, 1958  
*Dyspetes* Förster, 1869; Holarctic  
*Dyspetus* Thomson, 1883  
*Erromenus* Holmgren, 1855; Holarctic  
*Aniarophron* Förster, 1869  
*Trichocalymma* Förster, 1869  
*Trichocalymmus* Thomson, 1883  
*Currania* Viereck, 1924 (Townes, Gupta, & Townes, 1992)  
*Aderaeon* Townes, 1949 (Kasparyan, 1971; Townes, Gupta, & Townes, 1992)  
*Grypocentrus* Ruthe, 1855; Holarctic  
*Apimeles* Förster, 1869  
*Cyrtocentrus* Provancher, 1883  
*Ibornia* Seyrig, 1936; Ethiopian  
*Lagoleptus* Townes, 1969; Holarctic  
*Ledora* Kasparyan, 1983; Palearctic  
*Leviculus* Townes, 1969; Neotropic  
*Monoblastus* Hartig, 1837; Holarctic, Neotropic  
*Celoconus* Förster, 1869  
*Neleges* Förster, 1869 (Kasparyan, 1981; Townes, Gupta, & Townes, 1992)  
*Catocentrus* Walsh, 1873  
*Monoblastus (Xiphrurus)* Kriechbaumer, 1896; preocc. by Agassiz, 1846 (Horstmann, 2002)  
*Anelpistus* Brauns, 1898; preocc. by Horn, 1870  
*Braunsianus* Berg, 1898  
*Cerda* Cameron, 1904  
*Idothricus* Schmiedeknecht, 1907  
*Pseudopsilosage* Gregor, 1930  
*Otoblastus* Förster, 1869; Palearctic (Chi, 1984)  
*Parablastus* Constantineanu, 1973; Palearctic  
*Polyblastus* Hartig, 1837  
 subgenus *Cophenchus* Townes, 1949; Holarctic, Oriental  
 subgenus *Labroctonus* Förster, 1869; Holarctic  
*Nemioblastus* Thomson, 1883  
 subgenus *Polyblastus* Hartig, 1837; Holarctic, Oriental  
*Thibetoides* Davis, 1897; Holarctic

*Tryphon* Fallén, 1813  
 subgenus *Cteonyx* Kasparyan, 1969; Palearctic  
 subgenus *Noemon* Förster, 1869; Nearctic  
 subgenus *Stenocrotaphon* Kasparyan, 1969; Palearctic  
 subgenus *Symboethus* Förster, 1869; Holarctic  
*Quadrigana* Davis, 1897  
 subgenus *Tryphon* Fallén, 1813; Holarctic, Oriental  
*Psiolosage* Förster, 1869  
*Otiochilus* Förster, 1869  
*Zambion* Kasparyan, 1993b; Ethiopian

## XORIDINAE

*Aplomerus* Provancher, 1886; Nearctic, Neotropic  
*Platysoma* Provancher, 1885; preocc. by Leach, 1817, by Lienard, 1832, and by Brandt, 1835  
*Anodontomerus* Ashmead, 1900  
*Haplomerus* Dalla Torre, 1901  
*Ischnoceros* Gravenhorst, 1829; Holarctic  
*Mitroboris* Holmgren, 1859  
*Odontocolon* Cushman, 1942; Holarctic  
*Odontomerus* Gravenhorst, 1829; preocc. by Leach, 1819  
*Xorides* Latreille, 1809; worldwide (Wahl, 1997)  
*Xylonomus* Gravenhorst, 1829  
*Epixorides* Smith, 1862  
*Gonophonus* Förster, 1869  
*Moerophora* Förster, 1869  
*Rhadina* Förster, 1869; preocc. by Billberg, 1828  
*Sichelia* Förster, 1869  
*Sterotrichus* Förster, 1869  
*Perissocerus* Smith, 1877; preocc. by Gerstaeker, 1868  
*Moansa* Tosquinet, 1896 44110  
*Cyanoxorides* Cameron, 1903  
*Spiloxorides* Cameron, 1903  
*Macrosterotrichus* Kokujev, 1903  
*Caenostoma* Cameron, 1905 (J. Straits Branch Roy. Asiatic Soc. 44: 125)  
*Caenostoma* Cameron, 1905 (Entomologist 38: 171)  
*Pyramirhyssa* Mocsary, 1905  
*Gonioprymnus* Cameron, 1906  
*Periceros* Schulz, 1906  
*Rhadinopimpla* Schulz, 1906  
*Neoxylonomus* Szépligeti, 1914  
*Ahyborhyssa* Enderlein, 1919  
*Paraglypta* Kieffer, 1921  
*Lavaudenia* Seyrig, 1932  
*Neoxylonomus* Clément, 1938; preocc. by Szépligeti, 1914  
*Xylonomimus* Clément, 1938  
*Amphixylynomus* Benoit, 1952  
*Gymnacanthus* Benoit, 1952  
*Exomus* Townes, 1960

**INCERTAE SEDIS WITHIN ICHNEUMONIDAE**

*Skiapus* Morley, 1917; Ethiopian, Palearctic

Please cite this work as: Genera Ichneumonorum Nearcticae. 2014 (and updates). Version: 2014.09.18.  
<http://www.amentinst.org/GIN/>.